

Product Data

High Performance Chemical Resistant Coating

Belzona® 4311 (Magma CR1) is a high performance two component barrier coating for protecting surfaces against the effects of chemical attack.

This solvent free coating provides outstanding resistance to a broad range of chemicals, especially acids and alkalis.

Belzona® 4311 (Magma CR1) will:


- Simplify maintenance procedures
- Cut downtime
- Provide long term protection

Belzona® 4311 (Magma CR1) will bond to almost any rigid surface including metals, concrete, brick, tile and glass without the need for specialist tools.

Belzona® 4311
Magma CR1




Pumps



Piping



Chemical Containment Areas



Sumps

Applications for Belzona® 4311 (Magma CR1) include:

- Containment areas
- Pump bases
- Pump casings
- Heavy spillage areas
- Piping
- Drains and channels
- Sumps
- Walkways
- Storage tanks

www.belzona.com

Belzona® provides the solution to your repair and maintenance needs.


BELZONA®
Repair • Protect • Improve

Belzona® 4311 (Magma CR1) is:

Simple

- Easily mixed and applied
- No specialist tools required
- No fasteners required

Safe

- Solvent free
- No tainting of food stuffs
- Meets U.S.D.A. requirements for incidental food contact

Versatile

- Bonds to almost any rigid surface
- Available also as a paste grade – Belzona® 4301 (Magma CR1 Hi-Build)

Effective

- Outstanding resistance to a broad range of chemicals
- Fast curing for minimal downtime
- Seamless monolithic finish

Belzona® 4311
Magma CR1



Chemical Storage Tanks

QUALITY PRODUCTS - TECHNICAL SUPPORT

The Belzona® product range is manufactured through stringent quality and environmental control guidelines complying with the internationally recognised requirements of **ISO 9001:2000 and ISO 14001:2004**.

Belzona® has a global distribution network of over 140 Distributors operating in 120 countries. Local support is provided by a trained Technical Consultant who will diagnose the problem, recommend the solution and provide 24 hour on-site application supervision and advice.

For further detailed information refer to:

Belzona® **Product Specification**
Belzona® **Instructions For Use**
Belzona® **KNOW-HOW** *In Action*

Copyright © 2008 by Belzona® International Ltd. All rights reserved. No part of this work covered by the copyrights hereon may be reproduced or used in any other form or by any means – graphic, electronic, or mechanical including photocopying, recording, taping, or information storage and retrieval systems – without permission of the publisher. Belzona® is a registered trademark.

www.belzona.com



ISO 9001:2000
Q 09335
ISO 14001:2004
EMS 509612

Belzona® Polymeric Ltd. Belzona® Inc.

Claro Road, Harrogate,
HG1 4DS England
Tel: +44 1423 567641
Fax: +44 1423 505967
belzona@belzona.co.uk

2000 N.W. 88th Court, Miami,
Florida 33172 U.S.A.
Tel: +1 (305) 594-4994
Fax: +1 (305) 599-1140
belzona@belzona.com

Belzona® Asia Pacific.

Rattakit Building, 29/13 Moo 9,
Sukhumvit Road, Banglamung,
Chonburi 20150, Thailand
Tel: +66 38 378099
Fax: +66 38 378098
belzona@belzona.cn